

CDA SERIES

Diaphragm Actuator

Designed & engineered for severe service applications


• Thrusts up to 13,000 lbs

- Direct or Reverse Acting Styles
- Fail-Close or Fail-Open



Design Handwheel Yoke Casing Diaphragm Diaphragm **Plate Spring Guide Bushing** Actuator Stem Yoke


Specifications



- Effective Diaphragm Area: up to 217 in²
- Thrust: up to 13,000 lbs
- Stroke: up to 4.00"
- Pressure Rating: up to 60psi
- An adjusting mechanism is incorporated into the actuator design to allow for adjustment of the spring pre-compression
- Excellent repeatability: tested to over 400,000 cycles without loss of precision!
- Outputs repeatable thrust force
- Extended service life
- Nested spring design to maintain compactness



Actuator Dimensions



Actuator Dimensions (in)										Weight		
Fail Open	Fail Close	A	н	h	L	L1	E	F	к	кк	М	(lbs)
CDA-FO-10H	CDA-FC-10H	11.22	20.32	8.60	6.38	4.80	3.15	1.97	4.25	3/8 -18 NPT	M16×1.5	46.4
CDA-FO-15H	CDA-FC-15H	14.17	23.37	8.50	7.56	5.51	3.54	3.43	6.14	3/8 -18 NPT	M20X1.5	68.4
CDA-FO-25H	CDA-FC-25H	18.50	32.72	12.15	10.43	7.99	3.94	4.76	8.05	½ -14 NPT	M22×1.5	170
CDA-FO-40H	CDA-FC-40H	22.83	43.58	15.14	11.97	9.13	3.94	6.02	10.67	½ -14 NPT	M30×2	379.7

Parameter											
Fail Open	Fail Close	Effective Area Diaphragm (in²)	Rated Stroke (in)	Spring Range (psi)							
CDA-FO-10 CDA-FO-10H	CDA-FC-10 CDA-FC-10H	54.3	0.98	11.5 ~ 34.5							
CDA-FO-15 CDA-FO-15H	CDA-FC-15 CDA-FC-15H	86.8	1.57	11.5 ~ 34.5							
CDA-FO-25 CDA-FO-25H	CDA-FC-25 CDA-FC-25H	139.5	2.36	11.5 ~ 34.5							
CDA-FO-40 CDA-FO-40H	CDA-FC-40 CDA-FC-40H	217	3.94	11.5 ~ 34.5							

Related materials

Visit our website to download or request a printed catalogue.





www.cowandynamics.com

info@cowandynamics.com









Solutions Include:

Valve Actuators

Fail-Safe Systems

Digital Process Control Panels

Pneumatic Process Control Panels

For sales and technical information, Contact us at:

Head Office/Factory:

6194 Notre Dame West Montreal, Quebec H4C 1V4 TOLL-FREE: 855-341-3415 info@cowandynamics.com

LATAM Sales Office:

T: +1-514-553-2328 info@cowandynamics.com



/cowandynamics



/company/cowan-dynamics



/cowandynamics

